INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 66, 1993
AUTHOR INDEX†

Adams, Anthony D., Finite element analysis of steel cable conveyor belt splices (abs-S93#13) (4) 681
Adhikari, Basudam, see Khanra, Tapan Kumar (1) 30
Ahagon, Asahiro, States of carbon black dispersion and extensibility of rubbers (2) 317
Ahnemiller, James, Millable polyurethane elastomers for athletic footwear (abs-F92#32) (1) 144
Akimasa, Nomura, Zin, T., Akinobu, T., and Yoshiomi, S., Structural analysis of very high strength NHBR/ZMA composites (abs-F92#11) (1) 139
Akinobu, T., see Akimasa, Nomura (abs-F92#11) (1) 139
Alderson, M., Wright, M. A., Gloeckler, J., and Payne, Marc T., Recycling engineering thermoplastic elastomers, a case study (abs-F92#81) (1) 155
Alliston-Greiner, Alex F., see Roberts, Alan D. (abs-S93#61) (4) 689
Amano, T., see Rose, Bill L. (abs-F92#18) (1) 141
Andreis, M., see Valić, S. (1) 14
Andrews, J. B. and Dendinger, T. J., Spreadsheets in the rubber laboratory (abs-F92#46) (1) 148
Ayala, J. A., Hess, W. M., Joyce, G. A., and Kistler, F. D., Carbon black–elastomer interaction II: Effects of carbon black surface activity and loading (5) 772

Baker, W. E., see Rajalingam, P. (4) 664
Banning, R. D., see Gleeson, James D. (abs-F92#74) (1) 153
Bantjes, A., see Dikland, H. G. (2) 196
Bantjes, A., see Dikland, H. (5) 693
Bauman, Bernard D., Polyurethanes incorporting surface-modified polymer particles and fibers (abs-F92#15) (1) 140
Beaver, Morris L., Returnable, recyclable and disposable packaging for rubber chemicals (abs-S93#34) (4) 684
Bhatia, Sushil and Young, J., Computer aided compound management using Chemix (abs-F92#47) (1) 148
Bielski, R., see Fréchet, J. M. J. (1) 98
Bille, H. and Fendel, H., How to do hot air aging tests properly; a survey of influencing parameters and practical guidance on dealing with them (abs-S93#67) (4) 690
Birkmeier, Ben C., Carbon black packaging alternatives to reduce solid waste disposal costs (abs-S93#49) (4) 687
Bomal, Y., Cochet, P., and Dejean, B., Influence of specific surface area and quantity of precipitated silica on the properties of a precipitated silica filled natural rubber (abs-S93#39) (4) 685
Brentin, R., Thermoplastic polyurethanes, the performance elastomer for your application (abs-F92#68) (1) 151
Briscoe, Brian J. and Sebastian, K. Savio, An analysis of the "durometer" indentation (5) 827
Brown, Trevor, Application of resin reinforcement in HNBR for non-halogen/non-nitrosamine, high heat and abrasion resistant serpentine belt compounds (abs-F92#91) (1) 157
Bunting, William, Slocum, G. H., and Russell, W. D., Compression stress relaxation II: An improvement over traditional tests for the evaluation of sealant materials (abs-F92#93) (1) 158
Burger, Jacques, Burger, Nicole, and Pogu, Marc, Influence of some parameters on the solution of a thermal model of vulcaniztion (1) 19
Burger, Nicole, see Burger, Jacques (1) 19
Burlett, Donald J., and Lindt, J. Thomas, Reactive processing of rubber (review) (3) 411

* The first issue of Volume 66 contains abstracts of Fall 1992 Meeting Papers not published in full in Rubber Chemistry and Technology. The papers are cited in this index as (abs-F92#..) with the appropriate paper number inserted. The fourth issue of Volume 66 has abstracts from the Spring 1993 meeting. They are cited using a similar convention, *i.e.*, (abs-S92#..). Complete copies of these papers may be obtained from the Rubber Division Library, The University of Akron, Akron OH 44325-3907.

† Prepared by Lois W. Brock.

Butkus, E. Daniel, Lederer, Donald A., and Tisler, Andrew L., Sulfenimide cure systems: Compounding for rubber adhesion to brass plated steel cord (abs-S93#24) (4) 682

Carpenter, J. C., see Evans, Thomas L. (abs-F92#53) (1) 149
Chan, T. W., Shyu, G. D., and Isayev, A. I., Reduced time approach to curing kinetics, Part I: Dynamic rate and master curve from isothermal data (5) 849
Chang, V.-W., see Gent, A. N. (5) 733
Chasey, Kent L., Methods for evaluating oil/polymer interactions in carbon-black filled compounds (abs-S93#55) (4) 688
Chin, James, Singh, A., Palinkas, R., and Skirkanich, N., PPDI for high performance polyurethane (abs-F92#14) (1) 140
Class, J. B. and Grasso, R. P., The efficiency of peroxides for curing silicone elastomers (4) 605
Coates, G., see Waymouth, Robert (abs-F92#44) (1) 147
Cochet, P., see Bomal, Y. (abs-S93#39) (4) 685
Cochrane, H. and Lin, C. S., The influence of fumed silica properties on the processing, curing, and reinforcement properties of silicone rubber (1) 48
Cohen, Robert E., see Nir, Moira Marx (2) 295
Coots, Robert J. and Kolycheck, E. G.,Thermoplastic polyurethanes: The first commercial TPE's (abs-F92#31) (1) 144
Coran, A. Y. and Patel, R. P., Thermoplastic elastomers prepared by dynamic vulcanization (abs-F92#41) (1) 146
Costello, M., see Drake, Ronald E. (abs-F92#96) (1) 159
Costemalle, B., Fusco, J. V., and Kruse, D. F., A new elastomer for the mining industry (abs-S93#10) (4) 681
Croft, Thomas C. and German, K., Properties of co-vulcanized FKM/EPDM blends (abs-F92#25) (1) 143

D'Auteuil, J. G., see Gedeon, B. J. (abs-S93#42) (4) 686
Dalpe, S. T., see Nelson, N. W. (abs-F92#19) (1) 142
Davies, R. T. and Pendle, T. D., The effect of zinc distribution on the mechanical stability of NR latex concentrates (4) 578
De, P. P., see Roychoudhury, A. (2) 230
De, P. P., see Manoj, N. R. (4) 550
De, S. K., see Mukhopadhyay, Kinkar (1) 38
De, S. K., see Roychoudhury, A. (abs-F92#63) (1) 150
De, S. K., see Mandal, U. K. (abs-S93#8) (4) 680
De, S. K., see Manoj, N. R. (4) 550
Dejean, B., see Bomal, Y. (abs-S93#39) (4) 685
DeMarco, R., see Kliever, L. Bruce (abs-F92#94) (1) 158
DeMarco, Robert D., see Mark S. Peachey (abs-S93#57) (4) 688
Deming, T. J., see Novak, Bruce M. (abs-F92#43) (1) 147
Dendinger, T. J., see Andrews, J. B. (abs-F92#46) (1) 148
Dendinger, T. J., see Otterstedt, C. W. (abs-S93#1) (4) 678
Deputy, John, Update on returnable/recyclable rubber packaging (abs-S93#47) (4) 687
Derby, Ced, (FIBC) Flexible intermediate bulk containers (abs-S93#48) (4) 687
Desai, M. R., see Pandya, M. V. (abs-S93#66) (4) 689
Dick, John S. and Pawlowski, H., Applications for the Rubber Process Analyzer (abs-F92#37) (1) 146
Dick, John S. and Pawlowski, Henry A., Applications of the rubber process analyzer in predicating processibility and cured dynamic properties of rubber compounds (abs-S93#2) (4) 678
Dikland, H., Ruardy, T., van der Does, L., and Bantjes, A., New coagents in peroxide vulcanizations of EPM (5) 693
Dikland, H. G., Van der Does, L., and Bantjes, A., FT-IR spectroscopy, a major tool for the analysis of peroxide vulcanization processes in the presence of coagents. I. Mechanism of EPM peroxide vulcanization with aromatic *bis*(allyl)esters as coagents (2) 196
DiMauro, P. J., see Sezna, John A. (abs-F92#98) (1) 160
Dinges, D. I. and Westenberger, Dr., Computer assisted optimization of the vulcanization process (abs-F92#60) (1) 150
Dinzburg, Boris N., Investigation of the aeration effect on automotive oils and rubber components (abs-F92#88) (1) 157
Donnet, Jean-Baptiste, Black and white fillers today: From fillers to surface active compounds partners (abs-S93#25) (4) 683
Dooley, Robert, see Quigley, Claudia (4) 646
Drake, Ronald E., Holliday, J., Costello, M., and Labriola, J. M., 1,2-polybutadiene co-agents for improved elastomer properties (abs-F92#96) (1) 159
Drasner, Joseph, Low melting plastic batch inclusion bags/film (abs-S93#46) (4) 687
Drust, B. E., see Winters, James D. (abs-F92#100) (1) 160

Dutta, N. K., see Roychoudhury, A. (2) 230
Dweik, Hasan S., see Hamed, Gary R. (1) 92

Earhart, Neal J. and Thomas, R. W., The effect of storage conditions and stabilization of raw rubber on its processing behavior and on the properties of uncured and cured compounds (abs-F92#79) (1) 154
Eckman, R. R., Gardner, I. J., and Wang, H.-C, Solid-state NMR characterization of crosslinked brominated poly(isobutylene-*co*-4-methylstyrene) (1) 109
Eller, Robert, Thermoplastic elastomers in the global automotive industry (abs-F92#82) (1) 155
Englert, J. F., Jr. and Karges, P., Flow injection analysis (FIA) method for determination of active peroxides in chloroprene monomer (abs-F92#16) (1) 162
Evans, Larry R. and Waddell, W. H., Computer optimization of a tire white sidewall (abs-F92#45) (1) 148
Evans, Larry R. and Waddell, Walter H., Silica properties/rubber properties correlations: silica-filled compounds (abs-S93#27) (4) 683
Evans, Thomas L. and Carpenter, J. C., Use of cyclic carbonate oligomers in the synthesis of bisphenol-A polycarbonate–polydimethylsiloxane copolymers (abs-F92#53) (1) 149

Fendel, H., see Bille, H. (abs-S93#67) (4) 690
Fréchet, J. M. J., Bielski, R., Wang, H.-C., Fusco, J. V., and Powers, K. W., Electrophilic addition of brominated poly(isobutylene-*co*-4-methylstyrene) to olefins catalyzed by zinc salts: a model study (1) 98
Fujimoto, Kunihiko, see Sone, Kazuhiro (abs-S93#6) (4) 679
Furuta, I., see Hattori, Iwakazu (abs-S93#22) (4) 682
Furuta, Isao and Hattori, I., Modification of styrene–butadiene copolymer by alkoxysilane (abs-F92#103) (1) 161
Fusco, J. V., see Fréchet, J. M. J. (1) 98
Fusco, J. V., see Kruse, Donald F. (abs-F92#76) (1) 153
Fusco, J. V., see Costemalle, B. (abs-S93#10) (4) 681

Gajewski, V. J., see Nybakken, George (abs-F92#33) (1) 145
Gallagher, Robert M., Analysis of cooling water hose tubing materials (abs-F92#38) (1) 146
Gallagher, Robert M., Analysis of ozone attack on PVC/NBR elastomers (abs-F92#40) (1) 146
Gardner, I. J., see Eckman, R. R. (1) 109
Gedeon, B. J. and D'Auteuil, J. G., Critical tests to evaluate the use of thermoplastic elastomers in plumbing applications (abs-S93#42) (4) 686
Gelling, I. R., see Sewell, R. (abs-F92#22) (1) 142
Gent, A. N. and Xie, Kefu, Development of an *in-situ* curemeter (1) 83
Gent, A. N. and Wang, Chi, Strain energy release rates for crack growth in an elastic cylinder subjected to axial shear (5) 712
Gent, A. N. and Chang, V.-W., Stiffness and bond strength of rubber-filled hinges (5) 733
George, Jeffrey L., Predictive modeling of elastomeric aging effects on dynamic and static shear modulus (abs-S93#4) (4) 679
German, K., see Croft, Thomas C. (abs-F92#25) (1) 143
Gerspacher, M., Yang, H., and O'Farrell, C. P., Carbon-black filled elastomer blends (abs-F92#24) (1) 142
Gerspacher, M., see Wampler, W. A. (abs-S93#26) (4) 683
Gerspacher, Michel, see Gruber, Tyler (abs-S93#29) (4) 684
Gleeson, James D. and Banning, R. D., Thermoplastic elastomers—An innovative approach to automotive weatherstripping (abs-F92#74) (1) 153
Gloeckler, J., see Alderson, M. (abs-F92#81) (1) 155
Good, Gary, Discrete desirability front end for elastomer data bases (abs-F92#58) (1) 150
Goodman, J., see Lau, E. (abs-F92#71) (1) 152
Graf, H. J., see Leo, T. J. (abs-F92#66) (1) 151
Grasso, R. P., see Class, J. B. (4) 605
Graves, Daniel, Benzofurans as rubber additives (1) 61
Grewatta, Heinz Peter, see Tan, Ewe-Hong (4) 594
Gruber, Tyler, Zerda, T. Waldek, and Gerspacher, Michel, Raman studies of heat-treated carbon blacks (abs-S93#29) (4) 684
Göritz, D.W. F., see Reichert, W. F. (1) 1

Haddeman, Marinus, see Tan, Ewe-Hong (4) 594
Haidar, B., see Roychoudhury, A. (2) 230
Halasa, A. F., see Massie, J. M. (2) 276
Halasa, Adel F., see Zanzig, David J. (4) 538

Hall, Gary, Hot air curing system (abs-F92#87) (1) 156
Hamada, Tatsuro, Kawaguchi, Yasuyoshi, and Hirata, Yasushi, The development of a new material for studless snow tires (abs-S93#21) (4) 682
Hamed, G. R., see Rodriguez, J. (2) 286
Hamed, Gary R. and Dweik, Hasan S., Bonding of ultra high molecular weight polyethylene to styrene-butadiene rubber (1) 92
Hamed, Gary R. and Roberts, G., Mechanism of tack of pressure sensitive contact adhesives (abs-F92#77) (1) 154
Hashimoto, K., see Hayashi, Sachio (abs-F92#92) (1) 158
Hatta, T., see Sone, Kazuhiro (abs-S93#6) (4) 679
Hattori, I., see Furuta, Isao (abs-F92#103) (1) 161
Hattori, Iwakazu, Sakakibara, M., Furuta, I., Makino, K., and Hongu, Y., Chemical modification of short polystyrene block-SBR with alkoxysilane (abs-S93#22) (4) 682
Hayashi, Sachio, Oyama, H., Hashimoto, K., and Nakagawa, T., A new generation of hydrogenated nitrile rubber (HNBR) with improved low temperature characteristics for automobile applications (abs-F92#92) (1) 158
Herd, C. R., see Hess, W. M. (review) (3) 329
Herd, Charles, McDonald, Gerard C., Smith, Randolph E., and Hess, William M., The use of skeletonization for the shape classification of carbon-black aggregates (4) 491
Hertz, Daniel L. III, CIM in the rubber industry (abs-F92#48) (1) 149
Hess, W. M., Herd, C. R., and Vegvari, P. C.Characterization of immiscible elastomer blends (review) (3) 329
Hess, W. M., see Ayala, J. A. (5) 772
Hess, William M., see Herd, Charles (4) 491
Hirahara, Hidetoshi, see Mori, Kunio (5) 806
Hirata, Yasushi, see Hamada, Tatsuro (abs-S93#21) (4) 682
Hirst, R. C., see Massie, J. M. (2) 276
Hoezen, Kees B., Lawmans, J., Smeets, L. and Nijman, G., A new generation of reclaimed rubber (abs-F92#97) (1) 159
Hofer, F., see Kretzschmar, T. (5) 837
Hoff, S. M., see Novak, Bruce M. (abs-F92#43) (1) 147
Hogan, Michael E. Jr., The effects of methanol-containing fuels on fluorosilicone and fluorocarbon O-rings (abs-F92#90) (1) 157
Holden, Geoffrey, Styrenic thermoplastic elastomers (abs-F92#29) (1) 143
Holliday, J., see Drake, Ronald E. (abs-F92#96) (1) 159
Holownia, B. P. and James, E. H., Determination of dynamic bulk modulus of elastomers using pressure measurements (5) 749
Hongu, Y., see Hattori, Iwakazu (abs-S93#22) (4) 682
Hopper, Roger J., 2-(isopropylsulfinyl)-benzothiazole as a delayed action thiazole accelerator (4) 623
Horvath, James W., New directions in automotive elastomers changing interior heat and light requirements (abs-F92#73) (1) 152
Hsu, W. L., see Zanzig, David J. (4) 538
Hu, Benfei and White, James L., Comparison of four-flighted and two-flighted internal mixer rotors using cylindrical coordinate hydrodynamic lubrication theory (2) 257
Hummel, K., see Kretzschmar, T. (5) 837
Hutchinson, Rob, see Puskas, Judit E. (5) 742

Isayev, A. I., see Chan, T. W. (5) 849
Ishida, M., see Sone, Kazuhiro, (abs-S93#6) (4) 679
Ishiguro, M., see Sone, Kazuhiro (abs-S93#6) (4) 679
Italiaander, Tom, New developments in the field of high ethylene EPDM extrusion (abs-F92#75) (1) 153

Jackson, A., see Mattix, Richard B. (abs-F92#69) (1) 151
James, E. H., see Holownia, B. P. (5) 749
Johansson, A. J., see Leo, T. J. (abs-F92#66) (1) 151
Johnson, Arthur R. and Stacer, Ross G., Rubber viscoelasticity using the physically constrained system's stretches as internal variables (4) 567
Joyce, G. A., see Ayala, J. A. (5) 772

Kaliaguine, S., Yang, J. (2) 213
Kalyon, D. M., see Yazici, R. (4) 527
Karges, P., see Englert, J. F., Jr. (abs-F92#106) (1) 162
Kasai, A., Application of polyolefinic polyol as a polyurethane elastomer (abs-F92#35) (1) 145
Kawaguchi, Yasuyoshi, see Hamada, Tatsuro (abs-S93#21) (4) 682

Khanpara, J. C., see Sirdeshpande, Gourish (review) (3) 476
Khanra, Tapan Kumar, Adhikari, Basudam, and Maiti, Sukumar, Multifunctional activities of benzazole derivatives in rubber vulcanization (1) 30
Kim, Seog-Jun and Reneker, Darrell H., Scanning tunneling microscopy of carbon blacks (4) 559
Kistler, F. D., see Ayala, J. A. (5) 772
Kliever, L. Bruce and DeMarco, R., New nitrile rubbers for blending with PVC (abs-F92#94) (1) 158
Koenig, J. L., see Krejsa, M. R. (1) 73
Koenig, J. L., see Rana, M. A. (2) 242
Koenig, J. L., see Krejsa, M. R. (review) (3) 376
Kolycheck, E. G., see Coots, Robert J. (abs-F92#31) (1) 144
Koopmann, Rüdiger K., Precision and sensitivity in quality assurance testing (abs-S93#44) (4) 686
Kreiger, Bernard, Microwave curing technology (abs-F92#86) (1) 156
Krejsa, M. R. and Koenig, J. L., Solid state carbon-13 studies of elastomers. XI. N-*t*-butyl benzothiazole sulfenamide accelerated sulfur vulcanization of *cis*-polyisoprene at 75 MHz (1) 73
Krejsa, M. R., and Koenig. J. L., A review of sulfur crosslinking fundamentals for accelerated and unaccelerated vulcanization (review) (3) 376
Kresge, E. N., Synthesis and morphology of thermoplastic elastomers (abs-F92#28) (1) 143
Kretzschmar, T., Hummel, K., and Hofer, F., The influence of different brass pre-treatments on rubber–metal bonding: Investigated by analytical electron microscopy (5) 837
Kruse, D. F., see Costemalle, B., (abs-S93#10) (4) 681
Kruse, Donald F. and Fusco, J. V., Applications development with a new family of isobutylene based polymers (abs-F92#76) (1) 153
Kuma, K. Suresh, see Pandya, M. V. (abs-S93#66) (4) 689
Kumagai, Naoaki, see Mori, Kunio (5) 806

Labriola, J. M., see Drake, Ronald E. (abs-F92#96) (1) 159
Laskofsky, William, Blends of polar plastics with polyurethane (abs-F92#16) (1) 141
Lau, E. and Goodman, J., Tailoring thermoplastic olefin elastomers for automotive applications through intensive mixing (abs-F92#71) (1) 152
Lawmans, J., see Hoezen, Kees B. (abs-F92#97) (1) 159
Lawrence, G., see Mattix, Richard B. (abs-F92#69) (1) 151
Layer, Robert W., A study of thiocarbamyl sulfenamide/zinc oxide and TMTD/zinc oxide sulfurless cure systems (4) 510
Lederer, Donald A., see Butkus, E. Daniel (abs-S93#24) (4) 682
Lederer, Donald A., see Sinclair, Kenneth (abs-S93#35) (4) 684
Lee, M. P. and Moet, A., Analysis of fatigue crack propagation in NR/BR rubber blend (2) 304
Leo, T. J., Johansson, A. J., Graf, H. J., and Lesch, W., A new generation of cure systems to eliminate carcinogenic N-nitrosamines (abs-F92#66) (1) 151
Lesch, W., see Leo, T. J. (abs-F92#66) (1) 151
Lin, C. S., see Cochrane, H. (1) 48
Lindt, J. Thomas, see Burlett, Donald J. (review) (3) 411
Liu, J. L., see Nakajima, N. (abs-S93#7) (4) 680
Liu, J. L., see Nakajima, N. (4) 634

Magnus, Fred L., see Zanzig, David J. (4) 538
Maiti, Sukumar, see Khanra, Tapan Kumar (1) 30
Makino, K., see Hattori, Iwakazu (abs-S93#22) (4) 682
Mandal, U. K., Tripathy, D. K., and De, S. K., Moving die rheometry and dynamic mechanical studies of vulcanization of carboxylated nitrile rubber by covalent, ionic and mixed crosslinking systems (abs-S93#8) (4) 680
Mandelkern, Leo, The role of elastomers in the study of polymer crystallization (3) G61
Mann, John B., Mold release agents: a different view (abs-F92#34) (1) 145
Manoj, N. R., De, S. K., and De, P. P., Thermally induced crosslinking in blends of poly(vinyl chloride) and hydrogenated acrylonitrile–butadiene rubber (4) 550
Mark, James E., Leo Mandelkern, Charles Goodyear Medalist—1993, Biography (3) G58
Martin, Skip, The synergism of rubber chemical mixtures and preweighed packaging in the rubber industry (abs-S93#33) (4) 684
Massie, J. M., Hirst, R. C., and Halasa, A. F., Carbon black distribution in NR/polybutadiene blends (2) 276
Mathias, Douglas R., Economic comparison of thermoplastic elastomers and thermoset rubber (abs-F92#83) (1) 155
Mattix, Richard B., Jackson, A., Lawrence, G., and Rader, C. P., TPEs in household appliances using and delivering water (abs-F92#69) (1) 151
McDonald, Gerard C., see Herd, Charles (4) 491
Mezger, M. G., Blends of HNBR with other heat and oil resistant rubbers and with EPDM (abs-S93#56) (4) 688

Mezynski, S. M., see Rodgers, M. Brendan (abs-F92#17) (1) 141
Miller, J. B., ^{129}Xe NMR in polymers (review) (3) 455
Mize, Kipp J. and Takahashi, M., Kouhikisaki FVMQ—Addition catalyzed fluorosilicones with superior resistance to tear (abs-F92#104) (1) 161
Moet, A., see Lee, M. P. (2) 304
Mogstad, A., see Waymouth, Robert (abs-F92#44) (1) 147
Monroy, V. M., Guevara, G., Leon, I., Correa, A., and Herrera, R., *In-situ*titration of initiator-consuming impurities on solution anionic polymerization (4) 588
Mori, Kunio, Oishi, Yoshiyuki, Hirahara, Hidetoshi, Kumagai, Naoaki, and Tanno, Kazuo, Electropolymerization of aniline on conductive vulcanizates and charge–discharge properties (5) 806
Mukhopadhyay, Kinkar, Tripathy, D. K., and De, S. K., Failure properties of silica-filled ethylene vinyl acetate microcellular rubber (1) 38

Nakagawa, T., see Hayashi, Sachio (abs-F92#92) (1) 158
Nakajima, N., Thermodynamic interaction in concentrated polymer solutions of rubber and extending oil (abs-S93#5) (4) 679
Nakajima, N. and Liu, J. L., Interpretation of markings on tensile and tear fracture surfaces of polyvinylchloride/nitrile rubber blends (abs-S93#7) (4) 680
Nakajima, N. and Liu, J. L., Fracture toughness of PVC/NBR blends evaluated by the *J*-integral (4) 634
Nelson, N. W. and Dalpe, S. T., Finite element analysis of diffusion reaction in tires (abs-F92#19) (1) 142
Ngai, K. L., Roland, C. M., and Yee, A. S., A constraint dynamics approach to rubber elasticity (5) 817
Ngai, K. L., see Roland, C. M. (abs-S93#41) (4) 685
Nijman, G., see Hoezen, Kees B. (abs-F92#97) (1) 159
Nir, Moira Marx and Cohen, Robert E., Blends of crystallizable polybutadiene isomers (2) 295
Noel, Oscar F. III, Talc in thermoplastic elastomersF92#72 (1) 152
Norman, D. A., see Peterson, Pete (abs-F92#101) (1) 161
Novak, Bruce M., Hoff, S. M., Patten, T. E., and Deming, T. J., Living transition metal catalysts in the synthesis of well-defined di- and tri-block copolymers (abs-F92#43) (1) 147
Nybakken, George, Palinkas, R. L., and Gajewski, V. J.,Material characterization for the non-pneumatic tire (abs-F92#33) (1) 145

O'Farrell, C. P., see Gerspacher, M. (abs-F92#24) (1) 142
Oishi, Yoshiyuki, see Mori, Kunio (5) 806
Otterstedt, C. W. and Dendinger, T. J., A new test to predict automotive door seal wrinkle resistance (abs-S93#1) (4) 678
Ouyang, George B., Tokita, Noboru, and Shieh, Chiung-Huei, Carbon black effects on friction properties of tread compounds—Using a modified ASTM-E303 Pendulum Skid Tester (abs-S93#15) (4) 681
Oyama, H., see Hayashi, Sachio (abs-F92#92) (1) 158

Paeglis, A. U., see Stakem, Francis G. (abs-F92#95) (1) 159
Palinkas, R., see Chin, James (abs-F92#14) (1) 140
Palinkas, R. L., see Nybakken, George (abs-F92#33) (1) 145
Pandya, M. V., Desai, M. R., Subramaniyam, M., Kuma, K. Suresh, and Shah, C. S., A synthetic route for synthesis of thermoplastic elastomer from ϵ-caprolactam (abs-S93#66) (4) 689
Parks, David M., see Quigley, Claudia (4) 646
Patel, R. P., see Coran, A. Y. (abs-F92#41) (1) 146
Patten, T. E., see Novak, Bruce M. (abs-F92#43) (1) 147
Pawlak, R. J., In search of the perfect container (abs-S93#36) (4) 685
Pawlowski, H., see Dick, John S. (abs-F92#37) (1) 146
Pawlowski, Henry A., see Dick, John S. (abs-S93#2) (4) 678
Payne, Marc T., see Alderson, M. (abs-F92#81) (1) 155
Peachey, Mark S. and DeMarco, Robert D., Optimized extrusion techniques for polyacrylic (ACM) elastomers (abs-S93#57) (4) 688
Pendle, T. D., see Davies, R. T. (4) 578
Peterson, Pete and Norman, D. A., Preforming of polymer materials for compression and transfer molding (abs-F92#101) (1) 161
Pogu, Marc, see Burger, Jacques (1) 19
Powers, K. W., see Fréchet, J. M. J. (1) 98
Puskas, Judit E. and Hutchinson, Rob, GPC Calibration for the molecular weight measurement of butyl rubbers (5) 742
Puydak, Robert C., Elastomeric alloys (abs-F92#30) (1) 144

Quigley, Claudia, Dooley, Robert, and Parks, David M., An experimental study of failure in circumferentially notched elastomer cylinders (4) 646

Quirk, Roderic P., Macromonomers and graft polymers via anionic polymerization (abs-F92#57) (1) 149

Rader, C. P., see Mattix, Richard B. (abs-F92#69) (1) 151
Rader, Charles P., Thermoplastic elastomers—an introduction (abs-F92#27) (1) 143
Rajalingam, P., Sharpe, J., and Baker, W. E., Ground rubber tire/thermoplastic composites: Effect of different ground rubber tires (4) 664
Rana, M. A. and Koenig, J. L., Solid state C-13 NMR studies of vulcanized elastomers. XII. Accelerated sulfur-vulcanized high-vinyl polybutadiene (2) 242
Ranogajec, F., see Valić, S. (1) 14
Reichert, W. F. and Göritz, D. Gas adsorption at uniaxial deformation of filled natural rubber (1) 1
Reneker, Darrell H., see Kim, Seog-Jun (4) 559
Richmond, Bruce R., Carbon-black dispersion measurement (abs-S93#68) (4) 690
Roberts, Alan D. and Alliston-Greiner, Alex F., A new rubber friction test machine (abs-S93#61) (4) 689
Roberts, G., see Hamed, Gary R. (abs-F92#77) (1) 154
Rodgers, M. Brendan and Mezynski, S. M., Heavy duty truck tire materials and performance (abs-F92#17) (1) 141
Rodriguez, J. and Hamed, G. R., Styrene–butadiene rubber filled with fluorinated carbon black (2) 286
Roland, C. M., see Ngai, K. L. (5) 817
Roland, C. M., Santangelo, P. G., and Ngai, K. L., Plasticization of polymers (abs-S93#41) (4) 685
Roland, C. Michael, Terminal and segmental relaxations in epoxidized polyisoprene (abs-F92#7) (1) 139
Rose, Bill L. and Amano, T., Kobelco 'ETP' hydraulic tire curing press (abs-F92#18) (1) 141
Rowland, Donald G., Practical chemical blowing agents for expanding rubber (review) (3) 463
Roy, C., see Yang, J. (2) 213
Roychoudhury, A. and De, S. K., Characterization of the type of crosslinks in rubber vulcanizates by using Monsanto Moving Die Rheometer MDR-2000 (abs-F92#63) (1) 150
Roychoudhury, A., De, P. P., Dutta, N. K., Roychoudhury, N., Haidar, B., and Vidal, A., FTIR and NMR studies on crosslinking reaction between chlorosulfonated polyethylene and epoxidized natural rubber (2) 230
Roychoudhury, N., see Roychoudhury, A. (2) 230
Ruardy, T., see Dikland, H. (5) 693
Russell, W. D., see Bunting, William (abs-F92#93) (1) 158

Sakakibara, M., see Hattori, Iwakazu (abs-S93#22) (4) 682
Samuells, J. C., see Sezna, John A. (abs-F92#98) (1) 160
Santangelo, P. G., see Roland, C. M. (abs-S93#41) (4) 685
Sebastian, K. Savio, see Briscoe, Brian J. (5) 827
Sewell, R. and Gelling, I. R., Improved tread performance of natural rubber based tire compounds (abs-F92#22) (1) 142
Sezna, John A., DiMauro, P.J., and Samuells, J. C., The Tensometer 2000: A versatile universal testing tool (abs-F92#98) (1) 160
Sezna, John A., Optimum rheometer cure times (abs-S93#69) (4) 690
Shah, C. S., see Pandya, M. V. (abs-S93#66) (4) 689
Sharpe, J., see Rajalingam, P. (4) 664
Shieh, Chiung-Huei, see Ouyang, George B. (abs-S93#15) (4) 681
Shin, Kyung-Chul and White, James L., Basic studies of extrusion of rubber compounds in a pin barrel extruder (1) 121
Shyu, G. D., see Chan, T. W. (5) 849
Simonis, Robert, The advantages of pneumatic transport and fluidization of carbon blacks in the rubber industry (abs-F92#99) (1) 160
Šincek-Pećanić, V., see Valić, S. (1) 14
Sinclair, Kenneth and Lederer, Donald A., Chemical packaging opportunities for the rubber industry (abs-S93#35) (4) 684
Singh, H., see Chin, James (abs-F92#14) (1) 140
Sirdeshpande, Gourish, and Khanpara, J. C., Heat transfer through elastomeric foams—A review (review) (3) 476
Skirkanich, N., see Chin, James (abs-F92#14) (1) 140
Slocum, G. H., see Bunting, William (abs-F92#93) (1) 158
Smeets, L., see Hoezen, Kees B. (abs-F92#97) (1) 159
Smith, Randolph E., see Herd, Charles (4) 491
Sone, Kazuhiro, Ishida, M., Ishiguro, M., Hatta, T., and Fujimoto, Kunihiko, Characterization of physical properties of SBR/carbon black masterbatch (abs-S93#6) (4) 679
Soos, Istvan, see White, James L. (review) (3) 435

Stacer, Ross G., see Johnson, Arthur R. (4) 567
Stakem, Francis G. and Paeglis, A. U., Union Carbide gas phase EPM and EPDM rubber (abs-F92#95) (1) 159
Stern, H. J., Philip Schidrowitz, 1872–1960 (2) G37
Subramaniyam, M., see Pandya, M. V. (abs-S93#66) (4) 689

Takahashi, M., see Mize, Kipp J. (abs-F92#104) (1) 161
Tan, Ewe-Hong, see Wolff, Siegfried (2) 163
Tan, Ewe-Hong, see Wang, Meng-Jiao (2) 178
Tan, Ewe-Hong, Wolff, Siegfried, Haddeman, Marinus, Grewatta, Heinz Peter, and Wang, Meng-Jiao, Filler–elastomer interactions. Part IX. Performance of silicas in polar elastomers (4) 594
Tanno, Kazuo, see Mori, Kunio (5) 806
Testa, Marty E., see Zanzig, David J. (4) 538
Thomas, R. W., see Earhart, Neal J. (abs-F92#79) (1) 154
Tisler, Andrew L., see Butkus, E. Daniel (abs-S93#24) (4) 682
Tisler, Andy, Review of sulfenamide type acceleration systems for improved environmental desirability and maintenance of compounding flexibility (abs-F92#88) (1) 156
Tokita, Noboru, see Ouyang, George B. (abs-S93#15) (4) 681
Topić, M., see Valić, S. (1) 14
Treat, Carol J., New aqueous adhesives for bonding acrylonitrile–butadiene rubber to metal (abs-S93#62) (4) 689
Tripathy, D. K., see Mandal, U. K. (abs-S93#8) (4) 680
Tripathy. D. K., see Mukhopadhyay, Kinkar (1) 38
Tsou, Don, Chloroprene rubber and vinylacetate/ethylene rubber in cables and conveyor belts for the mining industry (abs-S93#9) (4) 680

Valić, S., Topić, M., Andreis, M., Ranogajec, F., Veksli, Z., and Šincek-Pećanić, V., Polystyrene–natural-rubber mixtures: Preparation and properties (1) 14
Van der Does, L., see Dikland, H. G. (2) 196
van der Does, L., see Dikland, H. (5) 693
Vara, R. G., Resistance of elastomers to refrigerant 134a and its lubricants (abs-S93#43) (4) 686
Vegvari, P. C., see Hess, W. M. (review) (3) 329
Veksli, Z., see Valić, S. (1) 14
Vidal, A., see Roychoudhury, A. (2) 230
von Hellens, Walter, Effects of EPDM characteristics on cure state and co-vulcanization in NR/EPDM blends (abs-F92#23) (1) 142

Waddell, W. H., see Evans, Larry R. (abs-F92#45) (1) 148
Waddell, Walter H., see Evans, Larry R. (abs-S93#27) (4) 683
Wampler, W. A., Gerspacher, M., and Yang, H. H., The role of carbon black in rubber compound curing behavior (abs-S93#26) (4) 683
Wang, Chi, see Gent, A. N. (5) 712
Wang, H.-C, see Fréchet, J. M. J. (1) 98
Wang, H.-C., see Eckman, R. R. (1) 109
Wang, Meng-Jiao, see Wolff, Siegfried (2) 163
Wang, Meng-Jiao, Wolff, Siegfried, and Tan, Ewe-Hong, Filler–elastomer interactions. Part VIII. The role of the distance between filler aggregates in the dynamic properties of filled vulcanizates (2) 178
Wang, Meng-Jiao, see Tan, Ewe-Hong (4) 594
Wasilczyk, George J., Recycling polyurethanes: Opportunities and challenges (abs-F92#13) (1) 139
Waymouth, Robert, Mogstad, A., and Coates, G., Homogeneous Ziegler-nNatta polymerization: Novel routes to block copolymers (abs-F92#44) (1) 147
Westenberger, Dr., see Dinges, D. I. (abs-F92#60) (1) 150
White, J. L., see Shin, Kyung-Chul (1) 121
White, James L., see Hu, Benfei (2) 257
White, James L., and Soos, Istvan, The development of elastomer rheological processability quality control instruments (review) (3) 435
Whitehouse, Susan L., Advances in adhesion of thermoplastic elastomers to other substrates (abs-F92#70) (1) 151
Winters, James D. and Drust, B. E., Blast-cleaning molds with plastic media (abs-F92#1) (1) 160
Witsiepe, William K., Origins of segmented polyether ester elastomers (abs-F92#42) (1) 147
Wolff, Siegfried, Wang, Meng-Jiao, and Tan, Ewe-Hong, Filler–elastomer interactions. Part VII. Study on bound rubber (2) 163
Wolff, Siegfried, see Wang, Meng-Jiao (2) 178
Wolff, Siegfried, see Tan, Ewe-Hong (4) 594

Wong, H. H., The method of corresponding distributions (abs-F92#80) (1) 155
Wong, Henry H., How good is your grading test? (abs-S93#70) (4) 691
Wright, M. A., see Alderson, M. (abs-F92#81) (1) 155
Wullenweber, Detlef, Extrusion equipment (abs-F92#85) (1) 156

Xie, Kefu, see Gent, A. N. (1) 83

Yang, H., see Gerspacher, M. (abs-F92#24) (1) 142
Yang, H. H., see Wampler, W. A. (abs-S93#26) (4) 683
Yang, J., Kaliaguine, S., and Roy, C., Improved quantitative determination of elastomers in tire rubber by kinetic simulation of DTG curves (2) 213
Yazici, R. and Kalyon, D. M., Degree of mixing analyses of concentrated suspensions by electron probe and x-ray diffraction (4) 527
Yee, A. F., see Ngai, K. L. (5) 817
Yeoh, O. H., Some forms of the strain energy function for rubber (5) 754
Yoshiomi, S., see Akimasa, Nomura (abs-F92#11) (1) 139
Young, J., see Bhatia, Sushil (abs-F92#47) (1) 148

Zanzig, David J., Magnus, Fred L., Hsu, W. L., Halasa, Adel F., and Testa, Marty E., IBR block copolymers as compatibilizers in NR/BR blends (4) 538
Zerda, T. Waldek, see Gruber, Tyler (abs-S93#29) (4) 684
Zin, T., see Akimasa, Nomura (abs-F92#11) (1) 139

SUBJECT INDEX*

Abrasion resistance, improved, in SBR with short polystyrene block and silica filler (abs-S93#22) (4) 682
Accelerator, delayed action, 2-(isopropylsulfinyl)-benzothiazole (4) 623
Accelerators, sulfenamid type, for improved environmental impact (abs-F92#88) (1) 156
Actilease, mold release system with fluid application control technology (abs-F92#34) (1) 145
Adhesion, of rubber to brass plated steel cord, improved with sulfenimide cure system (abs-S93#24) (4) 682
Adhesion, of TPEs to other substrates (abs-F92#70) (1) 151
Adhesives, aqueous, for bonding NBR to metal (abs-S93#62) (4) 689
Adhesives, pressure sensitive, measuring tack (abs-F92#77) (1) 154
Aging tests, hot air, proper proceduress for (abs-S93#67) (4) 690
Aging, of elastomers, predictive modeling of effects on dynamic and static shear modulus (abs-S93#4) (4) 679
Alkoxysilane, for modification of SBR (abs-F92#103) (1) 161
Alloys, elastomeric, from TPEs and other polymers (abs-F92#30) (1) 144
Aniline, electropolymerization on conductive vulcanizates (5) 806
Automotive parts, from thermoplastic olefin elastomers (abs-F92#71) (1) 152
Automotive parts, TPEs in the global market (abs-F92#82) (1) 155
Automotive plastics, changing heat and light requirements (abs-F92#73) (1) 152
Azodicarbonamides (ADCA), for expanding rubber (review) (3) 463

Batch inclusion packaging, of lower melting point (abs-S93#46) (4) 687
Belting, serpentine, resin-reinforced HNBR to avoid halogen- and nitrosamine-content (abs-F92#91) (1) 157
Benzazole derivatives, multifunctional activity in vulcanization (1) 30
Benzofurazan 1-oxide (BFO), as rubber additives for decreasing hysteresis (1) 61
Benzothiazole, 2-(isopropylsulfinyl)-, as delayed action accelerator (4) 623
Bisphenol-A polycarbonate–polydimethylsiloxane copolymers, from cyclic carbonate oligomer (abs-F92#53) (1) 149
Blend, of NR/BR rubber, fatigue crack propagation (2) 304
Blends of PVC and HNBR, thermally induced crosslinking (4) 550
Blends, of crystallizable BR isomers (2) 295
Blends, of elastomers, characterization (review) (3) 329
Blends, of elastomers, preferential incorporation of carbon black (abs-F92#24) (1) 142
Blends, of fluoroelastomers and EPDM, co-vulcanized (abs-F92#25) (1) 143
Blends, of HNBR, with other heat and oil resistant rubbers and with EPDM (abs-S93#56) (4) 688
Blends, of NR and BR, with IBR block copolymers as compatibilizers (4) 538
Blends, of NR and BR, distribution of carbon black in (2) 276
Blends, of NR and EPDM, effect of EPDM characteristics on cure state (abs-F92#23) (1) 142
Blends, of PVC and NBR, evaluating fracture toughness by the *J*-integral (4) 634
Block copolymers, of [poly(α-methylbenzyl isocyanide)-polybutadiene] and [poly(*tert*-butyl isocyanide)-polybutadiene] (abs-F92#43) (1) 147
Blowing agents, for expanded rubber (review) (3) 463
Bond strength, in rubber-filled hinges (5) 733
Bonding, of ultra high molecular weight polyethylene to SBR rubber (1) 92
Book Review: "Concise Encyclopedia of Polymer Processing & Applications", P. J. Corish, Ed. (1) G16
Book Review: "Engineering with Rubber, How to Design Rubber Components", Alan N. Gent, Ed. (1) G16
Book Review: "High Resolution XPS of Organic Polymers", G. Beamson and D. Briggs (2) G35
Book Review: "Introduction to Physical Polymer Science, 2nd Ed.", Leslie H. Sperling (2) G35
Book Review: "Natural Rubber: Biology, Cultivation, and Technology," M. R. Sethuraj and N. M. Mathew, Eds (3) G76
Book Review: "Organic Coatings: Science & Technology. Vol. I: Film Formation, Components, and Appearance", Z. W. Hicks, F. N. Jones, and A. P. Pappas (1) G17
Book Review: "Processing and Properties of Liquid Crystalline Polymers and LCP Based Blends", D. Acierno and F. P. La Mantia, Eds. (4) G87
Book Review: "Recycling of Plastic Material", F. P. La Mantia, Ed. (3) G76
BR isomers, crystallizable blends (2) 295

* Prepared by Lois W. Brock.

BR, relaxation behavior as affected by adding diluents of higher and lower T_g (abs-S93#41) (4) 685
Brominated poly(isobutylene-*co*-4-methylstyrene), addition to olefins catalyzed by zinc salt (1) 98
Brominated poly(isobutylene-*co*-4-methylstyrene), solid-state NMR characterization (1) 109

^{13}C NMR studies, of *cis*-IR vulcanized with N-*t*-butyl benzothiazole sulfenimide (1) 73
^{13}C NMR, solid state, in study of accelerated sulfur-vulcanized high-vinyl polybutadiene (2) 242
Cables, of CR and vinyl acetate/EPM, for the mining industry (abs-S93#9) (4) 680
Carbon black dispersion, and extensibility of rubbers (2) 317
Carbon black, distribution in NR/BR blends (2) 276
Carbon black, effect on friction properties of tread compounds (abs-S93#15) (4) 681
Carbon black, effect of various grades on bound rubber content of SBR (2) 163
Carbon black, fluidization and transport in the rubber industry (abs-F92#99) (1) 160
Carbon black, fluorinated, in SBR (2) 286
Carbon black, measuring dispersion of (abs-S93#68) (4) 690
Carbon black, measuring branching in aggregates by skeletonization (4) 491
Carbon black, packaging alternatives (abs-S93#49) (4) 687
Carbon black, role in rubber compound curing (abs-S93#26) (4) 683
Carbon black, role of distance between aggregates in dynamic properties of vulcanizates (2) 178
Carbon black, surface molecular organization, in relation to elastomer reinforcement (abs-S93#25) (4) 683
Carbon-black–elastomer interaction, effects of surface activity and loading (5) 772
Carbon blacks, Raman spectra for studying microstructure (abs-S93#29) (4) 684
Carbon blacks, studied by scanning tunneling microscopy (4) 559
Carbon-black filled compounds, evaluating oil/polymer interactions (abs-S93#55) (4) 688
Cellular elastomers, heat transfer through (review) (3) 476
Chain-end functionalized polymers (abs-F92#57) (1) 149
Charge–discharge properties, of aniline electropolymerization on conductive vulcanizates (5) 806
Chemix, software for managing rubber compounds (abs-F92#47) (1) 148
Chloroprene, determining active peroxide content by FIA (abs-F92#106) (1) 162
CIM, in the rubber industry (abs-F92#48) (1) 149
Composites, of ground rubber tires and thermoplastics, effect of treatment of the GRT (4) 664
Compression stress relaxation test, for sealant materials (abs-F92#93) (1) 158
Computer assisted optimization, of vulcanization (abs-F92#60) (1) 150
Computer imaging system, for measuring dispersion of carbon black (abs-S93#68) (4) 690
Computer optimization, of a tire white sidewall (abs-F92#45) (1) 148
Computer-aided management of rubber compounds (abs-F92#47) (1) 148
Conductive vulcanizates, electropolymerization of aniline on (5) 806
Constraint dynamics approach, to rubber elasticity (5) 817
Conveyor belting, for mining, based on brominated poly(isobutylene*co*-4-methylstyrene) (abs-S93#10) (4) 681
Conveyor belts, of CR and vinyl acetate/EPM, for the mining industry (abs-S93#9) (4) 680
Corresponding distributions method, as alternative to linear regression (abs-F92#80) (1) 155
CR, in cables and conveyor belts for mining (abs-S93#9) (4) 680
Crack growth behavior, of PVC/NBR blends, gel-free and gel-containing, differences (abs-S93#7) (4) 680
Crack growth, of elastic cylinder under axial shear, strain energy release rate (5) 712
Crack surfaces, fabricated, for studying fracture of elastomers (4) 646
Crosslinking, prediction through simulated optimized process conditions (abs F92#60) (1) 150
Crosslinking, thermally induced, in blends of PVC and HNBR (4) 550
Crosslinks, in rubber vulcanizates, characterized by Moving Die Rheometer (abs-F92#63) (1) 150
Crysallizable blends, of BR isomers (2) 295
CSM (chlorosulfonated polyethylene), crosslinking reaction with ENR (2) 230
Cure systems, which eliminate carcinogenic N-nitrosamines (abs-F92#66) (1) 151
Curemeter, *in-situ*, for measuring thick rubber articles during molding (1) 83
Curing kinetics, dynamic rate and master curve from isothermal data (5) 849
Cyclic carbonate oligomers, source of linear polycarbonate for blends and copolymers (abs-F92#53) (1) 149
Cyclopolymerization, of 1,5-hexadiene with Cp_2ZrCl_2 and MAO (abs-F92#44) (1) 147
Cylinders, circumferentially notched, for studying fracture in thicker elastomer specimens (4) 646

Data bases on elastomers, discrete desirability analysis, for avoiding replication (abs-F92#58) (1) 150
Database, for evaluation of silica samples and regression analyses of amorphous silicas (abs-S93#27) (4) 683
DBPH (2,5-dimethyl-2,5-di-(*tert*-butylperoxy)-hexane), for curing silicones (4) 605
DBPIB (α,α'-di(*tert*-butylperoxy)-*m*/*p*-diisopropylbenzene, for curing silicones (4) 605
Derivative thermogravimetry (DTG) analaysis, in study of elastomers in tires (2) 213
Diffusion, in tires, finite element analysis (abs-F92#19) (1) 142
Dinitrosopentamethylenetetramine (DNPT), for expanding rubber (review) (3) 463

Discrete desirability analysis (DDA), applied to computerized data base on elastomers (abs-F92#58) (1) 150
Dispersion, of carbon black, measurement (abs-S93#68) (4) 690
DTG (Derivative thermogravimetry), in quantitative analysis of tires (2) 213
Dunn, John R., recipient of Melvin Mooney Award, 1993 (3) G53
Durometer indentation, analysis (5) 827
Dynamic bulk modulus, of elastomers using pressure measurement (5) 749

Elasticity, rubber, constraint dynamics approach (5) 817
Elastomer blends, characterization (review) (3) 329
Elastomer blends, predicting properties from individual phases (abs-F92#24) (1) 142
Elastomeric foams, heat transfer through (review) (3) 476
Electron microscopy, analytical, for studying effect of brass pretreatment on bonds (5) 837
ENR (epoxidized NR), crosslinking reaction with CMS (2) 230
EPDM and extending oil, evaluating thermodynamic interaction parameter (abs-S93#5) (4) 679
EPDM, effects on cure state and co-vulcanization in NR/EPDM blends (abs-F92#23) (1) 142
EPDM, for cooling water hoses (abs-F92#38) (1) 146
EPDM, high ethylene, for extruded products, optimizing for cold weather processing (abs-F92#75) (1) 153
EPDM, in automotive door seals, wrinkle resistance of(abs-S93#1) (4) 678
EPDM, made by gas-phase fluidized bed technology (abs-F92#95) (1) 159
EPM and extending oil, evaluating thermodynamic interaction parameter (abs-S93#5) (4) 679
EPM, coagents in peroxide vulcanization of (5) 693
EPM, made by gas-phase fluidized bed technology (abs-F92#95) (1) 159
EPM, peroxide vulcanization with aromatic *bis*-(allyl)esters as coagents, mechanism of (2) 196
Estane polyurethane, the first commercial TPE (abs-F92#31) (1) 144
Ethylene–vinyl acetate rubber (EVA), silica-filled microcellular, failure (1) 38
Expanded rubber, practical chemical blowing agents (review) (3) 463
Extensibility, of rubber, relation to carbon black dispersion (2) 317
Extruded products, from high ethylene EPDM, optimizing for cold-weather processing (abs-F92#75) (1) 153
Extrusion equipment, quality management considerations (abs-F92#85) (1) 156
Extrusion techniques, for polyacrylic (ACM) elastomers (abs S93#57) (4) 688
Extrusion, of rubber in a pin barrel extruder (1) 121

FAC (fluid application control) technology for mold release agents (abs-F92#34) (1) 145
FEA: Finite element analysis, of splices in steel cable conveyor belts (abs-S93#13) (4) 681
Fatigue crack propagation, in NR/BR blend (2) 304
Filled NR, gas adsorption at uniaxial deformation (1) 1
Filler–elastomer interactions, study on bound rubber (2) 163
Filler–elastomer interactions with silica compounds (4) 595
Filler–elastomer interactions, role of distance between filler aggregates (2) 178
Finite element analysis, of diffusion in tires (abs-F92#19) (1) 142
Flexibility, improved low temperture, with HNBR made by new technology (abs-F92#92) (1) 158
Flexible Intermediate Bulk Containers, methods of discharging (abs-S93#48) (4) 687
Flow injection analysis (FIA), of active peroxides in chloroprene monomer (abs-F92#106) (1) 162
Fluorocarbon O-rings, effect of methanol-containing fuels on (abs-F92#90) (1) 157
Fluorosilicon O-rings, effect of methanol-containing fuels (abs-F92#90) (1) 157
Fluorosilicones, with superior tear resistance (abs-F92#104) (1) 161
Footwear, athletic, millable polyurethane for (abs-F92#32) (1) 144
Fracture toughness, of PVC/NBR blends, by use of the *J*-integral (4) 634
Fracture, in circumferentially notched elastomer cylinders (4) 646
Friction tester, for rubber (abs-S93#61) (4) 689
FT-IR spectroscopy, for studying peroxide vulcanization of EPM using coagents (2) 196
FTIR and NMR studies on crosslinking of CSM and ENR (2) 230

Gas adsorption, of filled NR (1) 1
Gas-phase fluidized bed technique, for making EPM and EPDM (abs-F92#95) (1) 159
Goodyear Global Returnable Container (abs-S93#36) (4) 685
GPC, for molecular weight measurement of IIR, calibration (5) 742
Grading tests, considering fluctuation and drift (abs-S93#70) (4) 691
Grinding, of tires for use in composites with thermoplastics (4) 664

Heat resistant polyurethanes, from polyolefinic polyols (abs-F92#35) (1) 145
Heat transfer, through elastomeric foams (review) (3) 476
Hinges, rubber-filled, stiffness and bond strength (5) 733
HNBR, blends with other heat and oil resistant rubbers (NBR, FPM, EVM) and EPDM (abs-S93#56) (4) 688
HNBR, made with new technology giving improved low temperature properties (abs-F92#92) (1) 158
HNBR, resin reinforcement, for high heat and abrasion resistant serpentine belt compounds (abs-F92#91) (1) 157

Holden, Geoffrey, recipient of Chemistry of Thermoplastics Award, 1993 (3) G57
Hose, for cooling water, evaluation of NBR, TPEs and EPDM for use in (abs-F92#38) (1) 146
Hoses, for cooling water, analysis of ozone attack on PVC/NBR elastomer (abs-F92#40) (1) 146
Household appliances, for using and delivering water, TPEs used in (abs-F92#69) (1) 151
Hydrodynamic effect, of filler, factor in tensile property variations (2) 317
Hysteresis, decreased in rubber vulcanizates by benzofurans (1) 61
Hytrel, structure/property relationships of various types (abs-F92#42) (1) 147

IBR (polyisoprene–polybutadiene block copolymer), as compatibilizer for NR/BR blends (4) 538
IIR, calibration of GPC for molecular weight measurement (5) 742
IM (polyisobutylene), new family for improved tire and non-tire applications (abs-F92#76) (1) 153
International Rubber Science Hall of Fame, 1992, Philip Schidrowitz (2) G37
IR, epoxidized, terminal and segmental relaxations in (abs-F92#7) (1) 139
IR, vulcanized with N-*t*-butyl benzothiazole sulfenimide, ^{13}C NMR study (1) 73
ISB [2-(isopropylsulfinyl)-benzothiazole], synthesis and use as accelerator (4) 623
Isobutylene–*p*-methyl styrene copolymers for improved tire and non-tire applications (abs-F92#76) (1) 153
Isocyanates, living polymerization using $TiCl_3(OR)$ (abs-F92#43) (1) 147

J-integral, for evaluation of fracture toughness of PVC/NBR blends (4) 634

Kobelco tire curing press (abs-F92#18) (1) 141
"Kouhikisaki" FVMQ, fluorosilicones with superior tear resistance (abs-F92#104) (1) 161

Loading, of carbon black, importance in curing of rubber (abs-S93#26) (4) 683
Long-term sealing capabilities, of TPEs for plumbing applications (abs-S93#42) (4) 686
Low melting bags/film, for inclusion in batches during rubber compounding (abs-S93#46) (4) 687

Macromonomers and graft polymers, by anionic polymerization (abs-F92#57) (1) 149
Mandelkern, Leo, Charles Goodyear Medalist—1993, biography (3) G58
MDR-2000, Monsanto Moving Die Rheometer, for finding types of crosslinks in vulcanizates (abs-F92#63) (1) 150
Microcellular ethylene–vinyl acetate rubber, silica-filled, failure (1) 38
Microscopy, scanning tunneling, for study of carbon blacks (4) 559
Microwave technology, for continuous curing (abs-F92#86) (1) 156
Mixers, internal, comparing rotors of two-flighted and four-flighted (2) 257
Mixing analyses, of concentrated suspensions, by electron probe and x-ray diffraction (4) 527
Mixing, intensive, for tailoring thermoplastic olefin elastomers for automotive use (abs-F92#71) (1) 152
Mixture, of polystyrene and NR, preparation and properties (1) 14
Model study, addition of brominated poly(isobutylene-*co*-4-methylstyrene) to olefins (1) 98
Model, based on cylindrical coordinate hydrodynamic lubrication theory, for rotor design (2) 257
Model, silica network reinforcement (1) 48
Modeling, predictive, of elastomer aging effects on dynamic and static shear modulus (abs-S93#4) (4) 679
Modification chemistry, in processing of rubber (review) (3) 411
Modulus, dynamic and static shear, predictive modeling of elastomeric aging on (abs-S93#4) (4) 679
Mold release agents, new restrictions causing new technologies (abs-F92#34) (1) 145
Molding, compression and transfer, preforming polymer materials for (abs-F92#101) (1) 161
Molds, blast-cleaning with plastic media (abs-F92#100) (1) 160
Molecular weight measurement, of IIR, GPC calibration (5) 742
Monsanto Die Rheometer MDR-2000, for characterizing type of crosslinks in vulcanizates (abs-F92#63) (1) 150
Monsanto MDR 2000, optimal cure times for SBR, NR, and EPDM (abs-S93#69) (4) 690
Multi Cell Compound, for studless snow tires (abs-S93#21) (4) 682

N-nitrosamines, elimination from cure systems because of carcinogenic action (abs-F92#66) (1) 151
N-*t*-butyl-2-benzothiazole sulfenimide accelerated vulcanization of IR, NMR study (1) 73
NBR mechanical goods compound, in a pin barrel extruder (1) 121
NBR, aqueous adhesives for bonding to metal (abs-S93#62) (4) 689
NBR, in cooling water hoses (abs-F92#38) (1) 146
NBR, new family for blending with PVC (abs-F92#94) (1) 158
NBR, stabilizing for changing interior surface temperatures (abs-F92#73) (1) 152
NHBR/ZnO/MAA composites, very high strength, structural analysis abs-F92#11) (1) 139
Nipol DP, family of rubbers from blend of new NBR and PVC (abs-F92#94) (1) 158
NMR characterization, of crosslinked, brominated poly(isobutylene-*co*-4-methylstyrene) (1) 109
NMR, ^{129}Xe, in polymers (review) (3) 455
NR latex, mechanical stability influenced by zinc distribution (4) 578

NR truck tire compound, in a pin barrel extruder (1) 121
NR, filled with precipitated silica, influence of specific surface area and quantity (abs-S93#39) (4) 685
NR, mixture with polystyrene (1) 14
Nylon 6–polyurethane–nylon 6, triblock copolymers, synthetic route to (abs-S93#66) (4) 689

O-rings, fluorosilicone and fluorocarbon, effect of methanol-containing fuels (abs-F92#90) (1) 157
Oil immersion tests, for rubber components, controlling aeration in (abs-F92#88) (1) 157
Oil/polymer interactions, in carbon-black filled compounds (abs-S93#55) (4) 688
Onstott, Neland, recipient of Fernley H. Banbury Award, 1993 (3) G56

Packaging, for rubber chemicals, returnable and recyclable (abs-S93#34) (4) 684
Packaging, of chemicals for the rubber industry (abs-S93#35) (4) 684
Packaging, of synthetic rubber (abs-S93#36) (4) 685
Packaging, preweighed, synergism of use with rubber chemical mixtures (abs-S93#33) (4) 684
Packaging, recyclable, for rubber (abs-S93#47) (4) 687
Parameters, affecting hot air aging tests (abs-S93#67) (4) 690
PE, linear low density, in composites with ground tires (4) 664
Permeation, of Refrigerant 134a, through NBR. HNBR, EPDM, IR, and CR (abs-S93#44) (4) 686
Peroxide cure, of 1,2-polybutadiene, co-agents for (abs-F92#96) (1) 159
Peroxide cure, of 1,2-polybutadiene, co-agents for (abs-F92#97) (1) 159
Peroxide vulcanization, of EPM, coagents for (5) 693
Plasticization, of polymers (abs-S93#41) (4) 685
Plazek, Donald J., recipient of George Stafford Whitby Award, 1993 (3) G52
Plumbing applications, of TPEs (abs-S93#42) (4) 686
Pneumatic transport, of fluidized carbon black (abs-F92#99) (1) 160
Poly(isobutylene-*co*-4-methylstyrene), brominated, for mining industry use (abs-S93#10) (4) 681
Polyacrylic elastomers (ACM), optimized extrusion techniques (abs-S93#57) (4) 688
Polybutadiene, 1-2, co-agents with peroxides, for improved elastomer properties (abs-F92#96) (1) 159
Polybutadiene, high-vinyl sulfur-vulcanized, studied with solid state ^{13}C NMR (2) 242
Polyethylene, ultra high molecular weight, bonding to SBR (1) 92
Polymer crystallization, role of elastomers (3) G61
Polystyrene, mixture with NR (1) 14
Polyurethane elastomers, from polyolefinic polyols, heat resistant (abs-F92#35) (1) 145
Polyurethane elastomers, millable, for athletic footwear (abs-F92#32) (1) 144
Polyurethane, cast, for non-pneumatic tires (abs-F92#33) (1) 145
Polyurethane, high performance, from *para*-phenylene diisocyanate (abs-F92#14) (1) 140
Polyurethanes, in blends of polar plastics (abs-F92#16) (1) 141
Polyurethanes, recycling (abs-F92#13) (1) 139
Polyurethanes, thermoplastic, history, chemistry, advantages (abs-F92#31) (1) 144
Polyurethanes, with surface-modified polymer particles (abs-F92#15) (1) 140
p,p'-Oxy*bis*(benzenesulfonyl hydrazide) (OBSH), for expanding rubber (review) (3) 463
p-phenylene diisocyanate, for high performance polyurethane (abs-F92#14) (1) 140
Preforming, of polymers for compression and transfer molding (abs-F92#101) (1) 161
Price, Roger K., Rubber Division Chairman, 1993 (1) G2
Processability testing, with the Rubber Process Analyzer (abs-F92#37) (1) 146
Processability, predicating with the rubber process analyzer (abs-S93#2) (4) 678
PVC/NBR blends, markings on tensile and tear fracture surfaces (abs-S93#7) (4) 680
PVC/NBR elastomers, for cooling hoses, analysis of ozone attack (abs-F92#40) (1) 146

Quality assurance testing, importance of precision and sensitivity (abs-S93#44) (4) 686
Quality control instruments, for rheological processability (review) (3) 435

Raman spectra, for studying microstructure of carbon blacks (abs-S93#29) (4) 684
Reactive processing, of rubber (review) (3) 411
Reclaimed rubber, made under ISO 9002 standard (abs-F92#97) (1) 159
Recyclable packaging, for rubber chemicals (abs-S93#34) (4) 6840
Recycling, of TPEs, case study (abs-F92#81) (1) 155
Refrigerant 134a, permeation rates through NBR, HNBR, EPDM, IR, and CR (abs-S93#43) (4) 686
Relaxation behavior, of BR and polymethylphenylsiloxane, as affected by diluents (abs-S93#41) (4) 685
Rheological processability, development of quality control instruments (3) 435
Rheometer cure times, optimum, for SBR, NR, and EPDM (abs-S93#69) (4) 690
Rolling resistance, in truck tires, effect of materials and technology (abs-F92#17) (1) 141
Rolling resistance, decreased in tires with benzofurazan 1-oxide additive (1) 61
RPA 2000 Rubber Process Analyzer, for processability testing (abs-F92#37) (1) 146
RPA 2000 Rubber Process Analyzer, for predicting processibility and properties (abs-S93#2) (4) 678
Rubber Division, ACS, Best Paper Awards, Fall 1992 (4) G82
Rubber Division, ACS, Best Paper Awards, Spring 1992 (1) G12
Rubber Division, ACS, Bylaws (1) G18

Rubber Division, ACS, Charles Goodyear Medalist—1993, Leo Mandelkern, biography (3) G58
Rubber Division, ACS, Chemistry of Thermoplastic Elastomers Award, 1993, to Geoffrey Holden (3) G57
Rubber Division, ACS, Fernley H. Banbury Award, 1993, to Neland Onstott (3) G56
Rubber Division, ACS, George Stafford Whitby Award, 1993, to Donald J. Plazek (3) G52
Rubber Division, ACS, Guide for Authors (3) G45
Rubber Division, ACS, Information in previous issues (1) G10, (2) G30, (3) G40, (4) G80, (5) G101
Rubber Division, ACS, Library and Information Services (1) G13, (2) G32, (3) G42, (4) G84, (5) G103
Rubber Division, ACS, Melvin Mooney Award, 1993, to John R. Dunn (3) G53
Rubber Division, ACS, Policy on technical papers presented at Rubber Division Meetings (1) G15, (2) G34, (3) G44, (4) G86, (5) G105
Rubber Division, ACS, Program for 1993 Fall Meeting (5) G90
Rubber Division, ACS, Program for 1993 Spring Meeting (1) G3
Rubber energy density functions, as models for large strain viscoelastic deformation (4) 567
Rubber industry, use of spreadsheets (abs-F92#46) (1) 148
Rubber process analyzer, for predicating processibility and cured dynamic properties (abs-S93#2) (4) 678
Rubber Process Analyzer, for processability testing (abs-F92#37) (1) 146
Rubber–metal bonding, influence of brass pretreatments (5) 837

Santocure TBSI, used with TBBS for improved environmental impact (abs-F92#88) (1) 156
SBR, bonding to ultra high molecular weight polyethylene (1) 92
SBR, dynamic properties as affected by distance between filler aggregates (2) 178
SBR, filled with fluorinated carbon black (2) 286
SBR, filled with various grades of carbon black, effect on bound rubber content (2) 163
SBR, modification by alkoxysilane (abs-F92#103) (1) 161
SBR, with short polystyrene block and trialkoxysilane modifier, for improved properties (abs-S93#22) (4) 682
SBR/BR passenger tire compound, in a pin barrel extruder (1) 121
SBR/carbon black masterbatch, studied by spin-spin relaxation time and dynamic creep (abs-S93#6) (4) 679
Schidrowitz, Philip, biography, International Rubber Science Hall of Fame (2) G37
Seals and packings, of HBNR with improved low and high temperture properties (abs-F92#92) (1) 158
Seals, automotive door, predicting wrinkle resistance (abs-S93#1) (4) 678
Segmented polyether ester elastomers, for an exceptional melt processable material (abs-F92#42) (1) 147
Shape classification, of carbon-black aggregates, by skeletonization (4) 491
Silica, correlation of properties with rubber properties (abs-S93#27) (4) 683
Silica, fumed, effect on processing, curing, and reinforcement of silicone rubber (1) 48
Silica, precipitated, effect of specific area and quantity in reinforcing NR (abs-S93#39) (4) 685
Silica-filled EVA foam, mode of tensile rupture (1) 38
Silicas, performance in polar elastomers (4) 595
Silicone heat cured sealing materials, improved compression stress relaxation test (abs-F92#93) (1) 158
Silicone rubber, effect of fumed silica properties on processing, curing and reinforcement (1) 48
Skeletonization, image analysis erosion, for measuring branching in carbon black aggregate (4) 491
Skid testing, of tread compounds with different carbon blacks (abs-S93#15) (4) 681
Solutions, of rubber and extending oils, thermodynamic interactions (abs-S93#5) (4) 679
Splices, in steel cable conveyor belts, analysis by FEA (abs-S93#13) (4) 681
Spreadsheets, in the rubber industry (abs-F92#46) (1) 148
Stabilizers, for avoiding pre-damaged conitions of raw rubber during storage (abs-F92#79) (1) 154
Stabilizers, heat and light, for interior automotive parts (abs-F92#74) (1) 153
Stabilizers, heat and light, for interior automotive parts (abs-F92#73) (1) 152
Static electricity, in flexible intermediate bulk containers (abs-S93#48) (4) 687
Storage conditions, effect on processing behavior of raw rubber (abs-F92#79) (1) 154
Strain energy function, forms in rubber (5) 754
Strain energy release rate, in crack growth during axial shear (5) 712
Sulfenamides, new alternatives with improved environmental impact (abs-F92#88) (1) 156
Sulfenimide cure system, for improving rubber adhesion to brass plated steel cord (abs-S93#24) (4) 682
Sulfur crosslinking, for accelerated and unaccelerated vulcanization (review) (3) 376
Sulfurless curing, using zinc oxide with thiocarbamyl sulfenamide or with TMTD (4) 510
Surface activity, of carbon black, effect on carbon black–elastomer interaction (5) 772
Surface molecular organization, of carbon black, in relation to elastomer reinforcement (abs-S93#26) (4) 683
Surface research, of silica and carbon black, importance in elastomer chain reinforcement (abs-S93#25) (4) 683
Synergism, of rubber chemical mixtures and preweighed packaging (abs-S93#33) (4) 684

Tack, of pressure sensitive contact adhesives, measuring (abs-F92#77) (1) 154
Talc, for improving dispersison of rubber phase in TPEs F92#72(1) 152
TBSI, primary amine based sulfenimide accelera-

tor, for improving rubber adhesion (abs-S93#24) (4) 682
Tear fracture surfaces, in different PVC/NBR blends (abs-S93#7) (4) 680
Tear resistance, superior, in addition catalyzed fluorosilicones (abs-F92#104) (1) 161
Telechelic polymeric catalysts, $CpCl_2TiO$-(Polymer)-$OTiCpCl_2$, for triblock copolymers (abs-F92#43) (1) 147
Tensile surfaces, in different PVC/NBR blends (abs-S93#7) (4) 680
Tensometer 2000, versatile tester with built-in microprocessor (abs-F92#98) (1) 160
Terpene tackifier, with naphthenic oil, for pressure sensitive adhesives (abs-F92#77) (1) 154
Thermal model, of vulcanization, influence of parameters (1) 19
Thermodynamic interaction parameter, of rubber and nonvolatile solvents (abs-S93#5) (4) 679
Thermoplastic olefin elastomers, for automotive use (abs-F92#) (1) 152
Thermoplastic polyurethanes (TPU), for wide range of applications (abs-F92#68) (1) 151
Thermoplastic urethanes, blending with NBR and thermoplastic elastomers (abs-F92#16) (1) 41
Thiocarbamyl sulfenamide/ZnO for sulfurless cure of NR (4) 510
Tire compounds, NR-based, tread performance (abs-F92#22) (1) 142
Tire rubber, quantitative determination of elastomer by kinetic simulation of DTG curves (2) 213
Tire white sidewall, computer optimization (abs-F92#45) (1) 148
Tire, non-pneumatic, material characterization (abs-F92#33) (1) 145
Tires, "ETP" hydraulic curing press for (abs-F92#18) (1) 141
Tires, finite element analysis of diffusion (abs-F92#19) (1) 142
Tires, ground, in composites with thermoplastics (4) 664
Tires, OTR, for open mining, based on brominated poly(isobutylene-*co*-4-methylstyrene) (abs-S93#10) (4) 681
Tires, studless snow, new material for (abs-S93#21) (4) 682
Titration, *in-situ*, of initiator-consuming impurities in solution anionic polymerization (4) 588
TPE, alloyed with other polymers (abs-F92#30) (1) 144
TPE, from epsilon caprolactam, synthetic route for synthesis (abs-S93#66) (4) 689
TPE, in the global automotive industry (abs-F92#82) (1) 155
TPE, status, different classes, advantages (abs-F92#27) (1) 143
TPE, styrenic (abs-F92#29) (1) 143
TPEs, adhesion to other substrates (abs-F92#70) (1) 151
TPEs, economic comparison with thermoet rubber (abs-F92#83) (1) 155
TPEs, first commercial (abs-F92#31) (1) 144
TPEs, for cooling water hoses (abs-F92#38) (1) 146
TPEs, for plumbing applications (abs-S93#42) (4) 686
TPEs, for weatherstripping (abs-F92#74) (1) 153
TPEs, improving dispersion of rubber phase with talc F92#72(1) 152
TPEs, in appliances for delivering water (abs-F92#69) (1) 151
TPEs, synthesis and morphology (abs-F92#28) (1) 143
Transition metal catalysts, for living polymerizations of di- and tri-block copolymers (abs-F92#43) (1) 147
Tread compounds, effects of carbon black on friction properties (abs-S93#15) (4) 681
Tread performance, of NR-based tire compounds (abs-F92#22) (1) 142
Truck tires, heavy duty, materials and performance (abs-F92#17) (1) 141

Vinyl acetate/EPM in cables and conveyor belts for mining (abs-S93#9) (4) 680
Viscoelasticity, rubber, using physically constrained system's stretches as variables (4) 567
VMQ (vinyl methyl silicone) polymers, crosslinking with DBPIB and with DBPH (4) 605
Vulcanization of moldings, optimized by computer model (abs-F92#60) (1) 150
Vulcanization, accelerated and unaccelerated, sulfur crosslinking (review) (3) 376
Vulcanization, continuous, using microwave heating (abs-F92#86) (1) 156
Vulcanization, dynamic, process and products made by (abs-F92#41) (1) 146
Vulcanization, multifunctional activities of benzazole derivatives (1) 30
Vulcanization, of XNBR, by covalent, ionic and mixed crosslinking systems (abs-S93#8) (4) 680
Vulcanization, thermal model, influence of parameters (1) 19
Vulcanization, with hot air system (abs-F92#87) (1) 156

Waddell, Walter H., recipient of Sparks–Thomas Award, 1993 (3) G55
Weatherstripping, of TPEs (abs-F92#74) (1) 153
WMB (wet dispersion SBR/carbon black masterbatch), characterization of properties (abs-S93#6) (4) 679
Wrinkle resistance, of automotive door seals, predicting (abs-S93#1) (4) 678

X-ray diffraction, for measurement of degree of mixing in concentrated suspensions (4) 527
XNBR, moving die rheometry and dynamic mechanical studies of vulcanization (abs-S93#8) (4) 680

Ziegler–Natta catalysts for forming block copolymers (abs-F92#44) (1) 147
Zinc compounds, in co-curing of brominated poly(isobutylene-*co*-4-methylenestyrene (1) 98
Zinc distribution, effect on mechanical stability of NR latex concentrates (4) 578